

ELECTRIC SCOOTER

SPECIFICATIONS

Control way 2.4G Wireless

Foldable Yes

Tire size 10inch Air Tire Motor 350W Brushless

Brake Electric brake+Disc brake

Mini Load 25KG Max Load 120KG Max Speed 25KM/H

Climb 13°

Front light Yes Rear light Yes

Battery 36v,6-10.4Ah Chinese battery

Mileage 15-40KM

Charger 110V-240V 50/60Hz

Charging time: 3-4h
Working tempreture -10C-40C
Net weight 12KG
Gross weight 15KG







RUNNER







Item No: YX-E-111





Overcurrent protection



Double overcharge protection



Dual discharge protection



Temperature Abnormal protection



Undervoltage automatic sleep





ELECTRIC

MULTIFUNCTION

Display + Remote + Key 3in1

















	BODY DETAIL —	
Unfolding size: 1130*446*1210		Net weight: 13.5Kgs
Folding size:1130*446*498		Range of load: 120KG
Width of pedal: 180MM		Way of folding: one step floding
Height of pedal from ground: 72mm		Way of battery dissabled:Inside
	PRODUCT DETAIL —	deck
Max speed: 25KM		Motor drive mode: Rear
Motor specification: 350W Brushless Motor		Wheel Riding Range:
Battery specification: 36v,6-10.Ah Chinese battery		15-40KM
Charger specification: 110V-240V 50/60)Hz	Climbing angle: 13°
	MULTIFUNCTION ————	
Di <mark>splay +Remote+Key</mark> 3in 1		
	PACKAGING —	
Colorful box size: 1200*220*550	Loading qty:20GP/40GP/40HQ 179PCS/372PCS/468PCS	Net weight: 13.5KGS
Accessories: Charger, manual		Gross weight: 15kg
	ENVIRONMENT FOR USING	

Protection class IP54, in using ambient temperature $0 \sim 40$ degrees, storage temperature -10 ~ 40 degrees, in charging ambient temperature $0 \sim 35$ degrees. The site is safe, smooth and no obstacles