



PRODUCT NUMBER: 1032501
Honeywell SuperOne 3207 - FFP3 NR D

FFP3 Non Reusable Moulded EN particulate respirator mask with a pre-shaped nose area and twin-stapled elastics. A "one size fits all" design. Boxes of 30 masks.



Overview

Reference Number

1032501

Product Type

Respiratory Protection

Range

Disposable APR

Line

Moulded masks

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Agriculture
- Automotive and Part Manufacturer
- Building and Construction
- Food Industries
- Foundry
- General Industry
- Iron and steel industry
- Laboratory
- Maintenance
- Medical and Pharmaceutical
- Metal steel
- Mining and Quarrying
- Water treatment
- Wood Industries

Product Use

Limitation to use:

This single-use filtering half-mask should NOT be used in the following situations :

- oxygen concentration is less than 17% (oxygen-deficient atmospheres)
- contaminants or their concentrations are unknown or are immediately dangerous to life or health
- contaminants concentrations exceed levels fixed by applicable health and safety standards or 12 (10 in UK, FIN, D, I, S) x WEL*
- in the presence of toxic or radio-active contaminants
- in the presence of gases or vapours
- fire fighting.

Caution:

We recommend users to ensure that the level of protection offered by the respirator is sufficient for the type and concentration of contaminant(s) in the work area.

For use only by trained and qualified personnel.

Leak-tightness is unlikely to be achieved if the mask is worn against a beard or facial stubble.

This respirator does not supply oxygen.

* WEL : Workplace Exposure Limit.

Features & Benefits

Feature

Exclusive design and shape: semi-rigid mask, designed to stay maintained in time. Upper part pre-formed (no nose-bridge) for a quick and easy adjustment, highly efficient and secure Great inner volume to avoid any oppression on face and to ease communications Ultra-soft inner veil to offer a soft and pleasant contact to the skin and improve the breathing comfort Twin supple and resistant elastics, stapled on ear tabs to avoid any risk of irritation and of leakage in the filtering area Ultra-light(9g) to minimize wearer fatigue and increase acceptance in time No latex, no silicone, no PVC

Benefit

- Designed to fit everyone - Easy to use, comfortable and secure - Time saved due to minimum adjustment required - Breathing comfort is optimised - Compatibility with spectacles - Excellent field of vision - Prevents irritations - No risk of allergies to latex - No restrictive use - Environment-friendly

Technical Description

Standard

EN149.2001

Mask Type

Molded Cup

Protection Class

FFP3

Valve

No

Straps

Double elastics

Mask Size

Medium

Latex Free

Yes

PVC Free

Yes

Silicone Free

Yes

Shelf Life

3 years

Certifications

EU Category PPE

3

Quality Assurance

ISO 9001 / 2000

EU Certification

0082/236/079/03/19/0371

Certifications

- EN 149+A1:2009

REACH

<p>EU Regulation 1907/2006 (REACH) Compliance</p> <p>The substance(s) listed below may be contained in this product above the threshold level of 0.1% by weight of the listed article.</p>	
Product Reference Sold in Europe	Substance > 0.1%

Substance Name	CAS Number
No Substance Content	

Additional Certification Link

SuperOne series conformity attestation

Literature & Documents

How to fit a Speria SuperOne mask

[http://www.honeywellsafety.com/supplementary/documents_and_downloads/respiratory_protection/single_use_\(disposable\)_respirators/26372/1033.aspx](http://www.honeywellsafety.com/supplementary/documents_and_downloads/respiratory_protection/single_use_(disposable)_respirators/26372/1033.aspx)

90025793-01_SuperOne_29L_EAC_HonNorth

http://www.honeywellsafety.com/supplementary/documents_and_downloads/secured/respiratory_protection/4295003426/1033.aspx

Photos & Images

S3203 HON 277x211

<http://www.honeywellsafety.com/assets/0/324/852/867/c6471173-a193-482a-8406-11de90ffa06e.jpg?n=6175>